Relationships between chemesthesis and personality factors

Nadia K. Byrnes^{1,2} and John E. Hayes^{1,2} ¹Sensory Evaluation Center, ²Department of Food Science, College of Agricultural Sciences, The Pennsylvania State University, University Park, PA

Previously, Rozin and Stevens proposed personality plays a role in determining sensitivity to, liking for, and intake of capsaicin containing foods. As part of a larger ongoing study on the genetics of oral irritants (Project GIANT-CS), we revisited relationships between personality measures and capsaicin burn, spicy food liking, and annualized intake. In our laboratory, participants completed a 63 item survey of foods and beverage liking; it also includes 16 non-food items to encourage participants to rate items in a broader hedonic context. Capsaicin (25uM) was rated on the generalized Labeled Magnitude Scale. Participants later completed personality measures online, including the Sensitivity to Punishment-Sensitivity to Reward Ouestionnaire (SPSRO), the Arnett Inventory of Sensation Seeking (AISS), Miller's Private Body Consciousness (PBC), and the novelty seeking subscale of the short Tridimensional Personality Questionnaire (ShortTPQ-NS). When capsaicin burn, spicy food liking and intake were compared to the personality measures, positive and negative correlations were observed. Sensitivity to Punishment (SP) associated with greater burn (r>0.1). Conversely, SP associated with lower liking for spicy foods (r's >-0.04). High sensation seeking associated with lower burn (r=-0.1), and higher spicy food liking, explaining between 6-25% of the variance in liking of spicy foods. Likewise, sensation seeking associated with greater reported intake (r=0.39). When exploring personality and non-food items on the hedonic survey, liking of 'driving fast on a twisty road' associated negatively with punishment sensitivity (r=-0.3) and positively with sensation seeking (r=0.5). In contrast to prior reports, liking for roller coasters (Rozin) and PBC (Stevens) were not associated with any of the capsaicin/spicy measures in our sample. Future work will explore meditator and moderator relationships between these variables.

Supported by funds from the Pennsylvania State University and NIH grant DC010904.